

FIG. 1

FIG. 2A	FIG. 2B	FIG. 2C	FIG. 2D	FIG. 2E	FIG. 2F	FIG. 2G	FIG. 2H
---------	---------	---------	---------	---------	---------	---------	---------

FIG. 2

FIG. 2A is a schematic diagram of a system 300 for processing data. The system 300 includes a data source 301, a data processor 302, and a data output 303. The data source 301 is connected to the data processor 302, which is connected to the data output 303. The data processor 302 includes a plurality of processing units 310, 320, 330, and 340. Each processing unit 310, 320, 330, and 340 is connected to the data source 301 and the data output 303. The data processor 302 is configured to process data received from the data source 301 and output the processed data to the data output 303.




FIG. 2A




FIG. 2B




FIG. 2D is a schematic diagram of a system 300 for providing a user with a set of recommendations. The system 300 includes a user device 302, a server 304, and a database 306. The user device 302 is in communication with the server 304, which is in communication with the database 306. The server 304 is configured to receive a request from the user device 302 and to provide a set of recommendations to the user device 302 based on the request and the data stored in the database 306.




FIG. 2D




FIG. 2E






FIG. 2F



314



316



**FIG. 2H**




FIG. 3

FIG. 4A	FIG. 4B	FIG. 4C	FIG. 4D	FIG. 4E	FIG. 4F	FIG. 4G	FIG. 4H
---------	---------	---------	---------	---------	---------	---------	---------

FIG. 4

401




FIG. 4A




FIG. 4C is a schematic diagram of a system for controlling a vehicle. The system includes a vehicle 400, a control unit 403, and a display unit 404. The control unit 403 is connected to the vehicle 400 and the display unit 404. The control unit 403 receives input from the vehicle 400 and outputs control signals to the vehicle 400. The display unit 404 displays information to the driver of the vehicle 400.

403




FIG. 4C

404




FIG. 4D



405





FIG. 4E



407




FIG. 4G






FIG. 5